


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <b>2773</b>  Accredited to <b>ISO/IEC 17025:2017</b>	<b>Alpha BioLaboratories Analytical Ltd</b>  Issue No: 049   Issue date: 15 November 2023	
	<b>14 Webster Court</b> <b>Carina Park</b> <b>Warrington</b> <b>WA5 8WD</b>	<b>Contact: David Thomas</b> <b>Tel: +44 (0) 333 600 1300</b> <b>+44 (0)1925 255450</b> <b>E-Mail: info@alphabiolabs.com</b> <b>Website: www.alphabiolabs.co.uk</b>

**Testing performed by the Organisation at the locations specified below**

### Locations covered by the organisation and their relevant activities

#### Site activities performed away from the locations listed above:

Location details	Activity	Location code
1 Webster Court Carina Park Warrington WA5 8WD  Contact: David Thomas Tel: +44 (0) 333 600 1300 +44 (0)1925 255450 E-Mail: info@alphabiolabs.co.uk	Work Place Drugs Analysis/Medical and Legal Analysis	A
1 Webster Court Carina Park Warrington WA5 8WD  Contact: David Thomas Tel: +44 (0) 333 600 1300 +44 (0)1925 255450 E-Mail: info@alphabiolabs.co.uk	Relationship Analysis	B



2773  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Alpha BioLaboratories Analytical Ltd**  
Issue No: 049 Issue date: 15 November 2023

Testing performed at main address only

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS/TISSUES  Swabs (Buccal cells) Nail Toothbrushes	<u>Relationship Analysis</u>  Short Tandem Repeat (STR) DNA profiling for relationship testing for: <ul style="list-style-type: none"> <li>- Paternity</li> <li>- Maternity</li> <li>- Sibling</li> <li>- Extended relationships (Aunt/Uncle, Niece/Nephew, Grandparent, Grandchild, Cousin)</li> <li>- Y-chromosome Analysis</li> </ul>	Documented in-house methods [SOP ref: PRC565, PRC 812] using manual/automated extraction: <ul style="list-style-type: none"> <li>- Promega SwabSolution</li> <li>- Prep-N-Go</li> <li>- QIAmp DNA Investigator (nail only)</li> </ul>	B
		Documented in-house methods [SOP ref: PRC521, PRC 545] using manual/automated amplification and the following chemistry: <ul style="list-style-type: none"> <li>- Fusion STR Multiplex</li> <li>- Verifiler Express</li> <li>- HDplex</li> <li>- SureID® 27 Comp</li> <li>- Yfiler Plus</li> </ul>	B
		Documented in-house methods [SOP ref: PRC540, PRC569, PRC570] using electrophoresis: <ul style="list-style-type: none"> <li>- Applied Biosystems 3500xl Genetic Analyser©</li> </ul>	B
	<u>Related Opinions and Interpretation</u>  Comparison, interpretation and statistical analysis of DNA profiles against compatible DNA Profile Information from within submitted cases	Documented in-house methods for Genetic Characterisation using: <ul style="list-style-type: none"> <li>- Familias software</li> </ul>	B



2773  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Alpha BioLaboratories Analytical Ltd**  
Issue No: 049 Issue date: 15 November 2023

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS/TISSUES (cont'd)  Plasma from maternal venous blood	<u>Relationship Analysis (cont'd)</u>  Massive Parallel Sequencing based Autosomal Short Tandem Repeat (STR) for relationship testing for: - Paternity	Documented in-house methods [SOP ref: PRC 081] for Massively Parallel Sequencing (MPS): Sample amplification, enrichment, library preparation, purification and normalisation using - ForenSeq™ DNA Signature Prep Kit - ForenSeq™ MainstAY Kit	B
		Documented in-house methods [SOP ref: PRC 047 and 875] for ccfDNA extraction and quantification using: - Promega Maxwell cfDNA kit on Maxwell instrument - Qiagen ccfDNA MinElute kit - Quantus Fluorometer	B
	<u>Related Opinions and Interpretation</u>  Comparison, interpretation and statistical analysis of DNA profiles against compatible DNA Profile Information from within submitted cases	Documented in-house methods [SOP ref: PRC 092] for Massively Parallel Sequencing (MPS) of pooled libraries using - MiSeq FGx & MiSeq FGx Control Software (MCS)	B



2773  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Alpha BioLaboratories Analytical Ltd**  
**Issue No:** 049    **Issue date:** 15 November 2023

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS/TISSUES (cont'd)			
Hair	<u>Work Place Drugs</u> <u>Analysis/Medical and Legal</u> <u>Analysis</u> Presumptive screening for the presence of the following drugs (cut-off limit)  Benzoylecgonine (0.05ng/mg) Cocaethylene (0.05ng/mg) Cocaine (0.5ng/mg) Diazepam (0.05ng/mg) Methadone (0.2ng/mg) Methamphetamine (0.2ng/mg) Morphine (0.2ng/mg) MDMA (0.2ng/mg) 6-Acetylmorphine (0.2ng/mg) Codeine (0.2ng/mg) Dihydrocodeine (0.2ng/mg) Norcocaine (0.05ng/mg) AEME (0.1ng/mg) Alprazolam (0.05ng/mg) Temazepam (0.05ng/mg) Nitrazepam (0.05ng/mg) Chlordiazepoxide (0.05ng/mg) THC (0.05ng/mg) Ketamine (0.1ng/mg)	Documented in-house method [SOP ref: PRC 006, PRC014, PRC585, PRC 586 and PRC 588] using methanol extraction and LC-MS/MS	A
Hair	Quantitative analysis of the following drugs (range):  Benzoylecgonine (0.002-1.0ng/mg) Cocaethylene (0.002-1.0ng/mg) Cocaine (0.02-10.0ng/mg) Diazepam (0.01-5.0ng/mg) Methadone (0.01-5.0ng/mg) Methamphetamine (0.01-5.0ng/mg) Morphine (0.01-5.0ng/mg) Methylamphetamine (0.01-5.0ng/mg)	Documented in-house method [SOP ref PRC 006, PRC014: PRC585 PRC 586 and PRC 588] using methanol extraction and LC-MS/MS	A



2773  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Alpha BioLaboratories Analytical Ltd**  
Issue No: 049 Issue date: 15 November 2023

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS/TISSUES (cont'd)  Hair	<u>Work Place Drugs Analysis/Medical and Legal Analysis (cont'd)</u>  Quantitative analysis of the following drugs (range) (cont'd):  MDMA (0.01-5.0ng/mg) 6-Acetylmorphine (0.01-5.0ng/mg) Codeine (0.01-5.0ng/mg) Dihydrocodeine (0.01-5.0ng/mg) Norcocaine (0.002-1.0ng/mg) AEME (0.01-5.0ng/mg) Alprazolam (0.01-5ng/mg) Temazepam (0.01-5.0ng/mg) Nitrazepam (0.01-5.0ng/mg) Chlordiazepoxide (0.01-5.0ng/mg) THC (0.01-5.0ng/mg) Ketamine (0.01-5.0ng/mg)	Documented in-house method [SOP ref: PRC 006, PRC014 PRC585 PRC 586 and PRC 588] using methanol extraction and LC-MS/MS	A



2773  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Alpha BioLaboratories Analytical Ltd**  
Issue No: 049 Issue date: 15 November 2023

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS/TISSUES (cont'd)	<u>Work Place Drugs Analysis/Medical and Legal Analysis</u>		
Hair	Presumptive screening for the presence of Ethyl Glucuronide (cut-off limit 30 pg/mg)	Documented in-house method [SOP ref: PRC 006, 008, 801, 804 and 806] using LC-MS/MS	A
	Quantitative analysis of Ethyl Glucuronide (range 2 – 700 pg/mg)	Documented in-house method [SOP ref: PRC 006, 008, 801, 804 and 806] using LC-MS/MS	A
Oral Fluids (Quantisal Collection Device)	Presumptive screening for the presence of the following drugs (cut-off limit)	Documented in-house methods [SOP ref: PRC 826, 827, 828 and 829] using SLE and LC-MS/MS	A
	<b>Opiates Group:</b> Morphine (15ng/ml) Dihydrocodeine (15ng/ml) Codeine(15ng/ml) 6-monoacetylmorphine (2ng/ml) Methadone (20ng/ml) EDDP (20ng/ml)		
	<b>Cocaine and Metabolites:</b> Benzoylecgonine (8ng/ml) Cocaine (8ng/ml) Cocaethylene (8ng/ml) Norcocaine (8ng/ml)		
	<b>Amphetamines Group:</b> Amphetamine (15ng/ml) Methamphetamine (15ng/ml) MDA (15ng/ml) MDMA (15ng/ml)		
	<b>Benzodiazepines Group:</b> Diazepam (3ng/ml) Nordazepam (3ng/ml) Temazepam (3ng/ml) Oxazepam (3ng/ml) Alprazolam (3ng/ml) Nitrazepam (3ng/ml)		



2773  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Alpha BioLaboratories Analytical Ltd**  
**Issue No:** 049    **Issue date:** 15 November 2023

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS/TISSUES (cont'd)	<u>Work Place Drugs Analysis/Medical and Legal Analysis (cont'd)</u>		
Oral Fluids (Quantisal Collection Device)	Presumptive screening for the presence of the following drugs (cut-off limit)  <b>Canabinoids Group:</b> d9-tetrahydrocannabinol (THC) (2ng/ml)  Cannabdiol (CBD) (2ng/ml)  <b>Other drugs:</b> Ketamine (15ng/ml) Tramadol (5ng/ml)	Documented in-house methods [SOP ref: PRC 826, 827, 828 and 829] using SLE and LC-MS/MS	A
Oral Fluids (Quantisal Collection Device)	Quantitative analysis of the following drugs:  <b>Opiates Group:</b> Morphine (5.0 – 40ng/ml) Dihydrocodeine (5.0 – 40ng/ml) Codeine (5.0 – 40ng/ml) 6-monoacetylmorphine (6-MAM) (0.80 - 6.4ng/ml) Methadone (7.0 – 56ng/ml) EDDP (7.0 – 56ng/ml)  <b>Cocaine and Metabolites:</b> Benzoylecgonine (2.5 – 20ng/ml) Cocaine (2.5 – 20ng/ml) Cocaethylene (2.5 – 20ng/ml) Norcocaine (2.5 – 20ng/ml)  <b>Amphetamines Group:</b> Amphetamine (5.0 – 40ng/ml) Methamphetamine (5.0 – 40ng/ml) MDA (5.0 – 40ng/ml) MDMA (5.0 – 40ng/ml)	Documented in-house methods [SOP ref: PRC 826, 827, 828 and 829] using SLE and LC-MS/MS	A



2773  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Alpha BioLaboratories Analytical Ltd**  
**Issue No:** 049    **Issue date:** 15 November 2023

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>BODY FLUIDS/TISSUES (cont'd)</p> <p>Oral Fluids (Quantisal Collection Device) (cont'd)</p>	<p><u>Work Place Drugs Analysis/Medical and Legal Analysis (cont'd)</u></p> <p>Quantitative analysis of the following drugs:</p> <p><b>Benzodiazepines Group:</b> Diazepam (1.0 – 8ng/ml) Nordazepam (1.0 – 8ng/ml) Temazepam (1.0 – 8ng/ml) Oxazepam (1.0 – 8ng/ml) Alprazolam (1.0 – 8ng/ml) Nitrazepam (1.0 – 8ng/ml)</p> <p><b>Canabinoids Group:</b> d9-tetrahydrocannabinol (THC) (0.7 – 5.6ng/ml)</p> <p>Cannabidiol (CBD) (0.7 – 5.6ng/ml)</p> <p><b>Other drugs:</b> Ketamine (5.0 – 40ng/ml) Tramadol (1.5 – 12ng/ml)</p>	<p>Documented in-house methods [SOP ref: PRC 826, 827, 828 and 829] using SLE and LC-MS/MS</p>	<p align="center">A</p>
<p align="center">END</p>			